

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations Revision Date: 22/05/2015 Date of issue: 22/05/2015

Version: 1.0

SECTION 1: IDENTIFICATION

Product Identifier
Product Form: Mixture

Product Name: Lares One Step Handpiece Conditioner

Product Code: 10083

Synonyms: Handpiece Lube, Handpiece Conditioner, Handpiece Spray, One Step Spray

Intended Use of the Product

Dental Handpiece Conditioner. For professional use only.

Name, Address, and Telephone of the Responsible Party

Company Lares Research 295 Lockheed Avenue Chico, CA 95973 530-345-1767

www.laresdental.com

Emergency Telephone Number

Emergency Number : 1-800-535-5053 INFOTRAC

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

Classification (GHS-US)

Flam. Aerosol 1 H222 H229 Skin Irrit. 2 H315

STOT SE 3 H336 Asp. Tox. 1 H304 Aquatic Acute 2 H401 Aquatic Chronic 2 H411

Full text of H-phrases: see section 16

Label Elements
GHS-US Labeling

Hazard Pictograms (GHS-US)



GHS07





Signal Word (GHS-US) : Danger

Hazard Statements (GHS-US) : H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated H304 - May be fatal if swallowed and enters airways.

H315 - Causes skin irritation.

H336 - May cause drowsiness or dizziness.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary Statements (GHS-US): P210 - Keep away from extremely high or low temperatures, ignition sources, and

incompatible materials. - No smoking.

P211 - Do not spray on an open flame or other ignition source. P251 - Pressurized container: Do not pierce or burn, even after use.

P261 - Avoid breathing vapors, mist, or spray.

P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P273 - Avoid release to the environment.

P280 - Wear eye protection, protective clothing, protective gloves.

70206 Rev B 05/15 EN (English US) 1/8

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

P301+P310 - If swallowed: Immediately call a poison center or doctor.

P302+P352 - If on skin: Wash with plenty of water.

P304+P340 - If inhaled: Remove person to fresh air and keep at rest in a position

comfortable for breathing.

P312 - Call a poison center or doctor if you feel unwell.

P321 - Specific treatment (see section 4 on this SDS).

P331 - Do NOT induce vomiting.

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P362 - Take off contaminated clothing and wash before reuse.

P391 - Collect spillage.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

Other Hazards

Hazards Not Otherwise Classified (HNOC): Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C/122 °F. Do not pierce or burn, even after use.

Unknown Acute Toxicity (GHS-US) Not available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Name	Product Identifier	% (w/w)	Classification (GHS-US)
Naphtha, petroleum, light alkylate	(CAS No) 64741-66-8	40	Flam. Liq. 2, H225
			Skin Irrit. 2, H315
			STOT SE 3, H336
			Asp. Tox. 1, H304
			Aquatic Chronic 2, H411
Petroleum gases, liquefied, sweetened	(CAS No) 68476-86-8	35	Simple Asphyxiant
			Flam. Gas 1, H220
			Compressed gas, H280
White mineral oil, petroleum	(CAS No) 8042-47-5	25	Asp. Tox. 1, H304

Full text of H-phrases: see section 16

SECTION 4: FIRST AID MEASURES

Description of First Aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label if possible).

Inhalation: Remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.

Skin Contact: Rinse immediately with plenty of water. Remove contaminated clothing. Wash contaminated clothing before reuse. Obtain medical attention if irritation develops or persists.

Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

Ingestion: DO NOT INDUCE VOMITING. Do not give liquids. Obtain immediate medical attention. If spontaneous vomiting occurs, lean victim forward to reduce the risk of aspiration. Small amounts of material which enter the mouth should be rinsed out until the taste is dissipated.

Most Important Symptoms and Effects Both Acute and Delayed

General: May be fatal if swallowed and enters airways. Causes skin irritation. May cause drowsiness and dizziness.

Inhalation: Aspiration of this material may cause chemical pneumonia. High concentrations may cause central nervous system depression such as dizziness, vomiting, numbness, drowsiness, headache, and similar narcotic symptoms.

Skin Contact: Redness, pain, swelling, itching, burning, dryness, and dermatitis.

Eye Contact: Redness, pain, swelling, itching, burning, tearing, and blurred vision.

70206 Rev B 05/15 EN (English US) 2/8

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Ingestion: The major health threat of ingestion occurs from the danger of aspiration (breathing) of liquid drops into the lungs, particularly from vomiting. Aspiration may result in chemical pneumonia (fluid in the lungs), severe lung damage, respiratory failure and even death.

Chronic Symptoms: None expected under normal conditions of use.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If you feel unwell, seek medical advice (show the label where possible).

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO₂).

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Extremely flammable aerosol.

Explosion Hazard: Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.

Reactivity: Hazardous reactions will not occur under normal conditions.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers. DO NOT fight fire when fire reaches explosives.

Evacuate area

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO₂, CO).

Reference to Other Sections

Refer to section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid breathing vapor, mist, or spray. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges. Keep away from heat, sparks, open flames, hot surfaces. – No smoking.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Stop leak if safe to do so. Eliminate ignition sources. Ventilate area.

Environmental Precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Methods and Material for Containment and Cleaning Up

For Containment: Ventilate area.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Spills should be contained with mechanical barriers. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

Reference to Other Sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Additional Hazards When Processed: Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use.

Handling Temperature: ≤ 50 °C (122 °F)

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

70206 Rev B 05/15 EN (English US) 3/8

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Do not expose to temperatures exceeding 50°C/122°F. Keep in fireproof place. Protect from light.

Incompatible Materials: Strong acids. Strong bases. Strong oxidizers.

Storage Temperature: ≤ 50 °C (122 °F)

Special Rules on Packaging: Keep only in the original container.

Specific End Use(s)

Dental Handpiece Conditioner. For professional use only.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), OSHA (PEL), Canadian provincial governments, or the Mexican government

White mineral oil, petroleum (8042-47-5)		
USA ACGIH	ACGIH TWA (mg/m³)	5 mg/m³ (mist)

Exposure Controls

Appropriate Engineering Controls: Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed. Gas detectors should be used when flammable gases/vapors may be released.

Personal Protective Equipment: Protective goggles. Gloves.





Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear chemically resistant protective gloves.

Eye Protection: Chemical goggles or safety glasses.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: Use a NIOSH-approved respirator or self-contained breathing apparatus whenever exposure may exceed established Occupational Exposure Limits. Wear approved mask.

Environmental Exposure Controls: Do not allow the product to be released into the environment.

Consumer Exposure Controls: Do not eat, drink or smoke during use

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties
Physical State : Liquid
Appearance : Clear

Odor : Light petroleum
Odor Threshold : Not available
pH : Not available
Evaporation Rate : Not available
Melting Point : Not available
Freezing Point : Not available
Boiling Point : Not available

Flash Point : -104 °C (-155.2 °F) Propellant

Auto-ignition Temperature: Not availableDecomposition Temperature: Not availableFlammability (solid, gas): Not availableLower Flammable Limit: Not availableUpper Flammable Limit: Not availableVapor Pressure: > 30 psi

70206 Rev B 05/15 EN (English US) 4/8

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Relative Vapor Density at 20 °C : > 1 (Air=1)

Relative Density : Not available

Specific Gravity : Not available

Solubility : Negligible

Partition Coefficient: N-Octanol/Water : Not available

Viscosity : Not available

Explosive limits : Lower: 3.4%

Upper: 18%

Explosion Data – Sensitivity to Mechanical Impact : Not expected to present an explosion hazard due to mechanical impact.

Explosion Data – Sensitivity to Static Discharge : Static discharge may act as an ignition source.

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Hazardous reactions will not occur under normal conditions.

Chemical Stability: Extremely flammable aerosol. Contains gas under pressure; may explode if heated.

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid: Ignition sources. Incompatible materials. Heat. Sparks. Open flame. Overheating.

Incompatible Materials: Strong acids. Strong bases. Strong oxidizers.

Hazardous Decomposition Products: Carbon oxides (CO₂, CO). Hydrocarbons.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity: Not classified LD50 and LC50 Data: Not available

Skin Corrosion/Irritation: Causes skin irritation.
Serious Eye Damage/Irritation: Not classified
Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Teratogenicity: Not available **Carcinogenicity:** Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): May cause drowsiness or dizziness.

Aspiration Hazard: May be fatal if swallowed and enters airways.

Symptoms/Injuries After Inhalation: Aspiration of this material may cause chemical pneumonia. High concentrations may cause central nervous system depression such as dizziness, vomiting, numbness, drowsiness, headache, and similar narcotic symptoms.

Symptoms/Injuries After Skin Contact: Redness, pain, swelling, itching, burning, dryness, and dermatitis. **Symptoms/Injuries After Eye Contact:** Redness, pain, swelling, itching, burning, tearing, and blurred vision.

Symptoms/Injuries After Ingestion: The major health threat of ingestion occurs from the danger of aspiration (breathing) of liquid drops into the lungs, particularly from vomiting. Aspiration may result in chemical pneumonia (fluid in the lungs), severe lung damage, respiratory failure and even death.

Chronic Symptoms: None expected under normal conditions of use.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

White mineral oil, petroleum (8042-47-5)		
LD50 Oral Rat	> 5000 mg/kg	
Naphtha, petroleum, light alkylate (64741-66-8)		
LD50 Oral Rat	> 7000 mg/kg	
LD50 Dermal Rabbit	> 2000 mg/kg	
LC50 Inhalation Rat	> 5.04 mg/l/4h	

70206 Rev B 05/15 EN (English US) 5/8

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Ecology - General: Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

White mineral oil, petroleum (8042-47-5)

LC50 Fish 1 > 10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)

Naphtha, petroleum, light alkylate (64741-66-8)

EC50 Daphnia 1 2 mg/l (Exposure time: 48 h - Species: Mysidopsis bahia)

Persistence and Degradability Not available

Bioaccumulative Potential

White mineral oil, petroleum (8042-47-5)		
Log Pow	>6	
Petroleum gases, liquefied, sweetened (68476-86-8)		

Mobility in Soil Not available

Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, and international regulations.

Additional Information: Flammable vapors may accumulate in the container. Container under pressure. Do not drill or burn even after use.

Ecology – Waste Materials: Avoid release to the environment.

SECTION 14: TRANSPORT INFORMATION

In Accordance with DOT

Proper Shipping Name : AEROSOLS, FLAMMABLE

Hazard Class : 2.1 Identification Number : UN1950 Label Codes : 2.1



In Accordance with IMDG

Proper Shipping Name : AEROSOLS, FLAMMABLE

Hazard Class : 2

Identification Number: UN1950Label Codes: 2.1EmS-No. (Fire): F-DEmS-No. (Spillage): S-U



In Accordance with IATA

Proper Shipping Name : AEROSOLS, FLAMMABLE

Identification Number : UN1950

Hazard Class : 2 Label Codes : 2.1 ERG Code (IATA) : 10L



In Accordance with TDG

Proper Shipping Name : AEROSOLS, FLAMMABLE

Hazard Class : 2.1 Identification Number : UN1950 Label Codes : 2.1



SECTION 15: REGULATORY INFORMATION

US Federal Regulations

70206 Rev B 05/15 EN (English US) 6/8

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Lares One Step Handpiece Conditioner		
SARA Section 311/312 Hazard Classes	Fire hazard	
	Immediate (acute) health hazard	
White mineral oil, petroleum (8042-47-5)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Petroleum gases, liquefied, sweetened (68476-86-8)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Naphtha, petroleum, light alkylate (64741-66-8)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		

US State Regulations

Neither this product nor its chemical components appear on any US state lists.

Canadian Regulations

Canadian Negalations		
Lares One Step Handpiece Conditioner		
WHMIS Classification	Class B Division 5 - Flammable Aerosol	
	Class D Division 2 Subdivision B - Toxic material causing other toxic effects	
White mineral oil, petroleum (8042-47-5)		
Listed on the Canadian DS	L (Domestic Substances List)	
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria	

WHMIS Classification	Uncontrolled product according to WHMIS classification criteria	
Petroleum gases, liquefied, sweetened (68476-86-8)		
Listed on the Canadian DSL (Domestic Substances List)		
WHMIS Classification	Class A - Compressed Gas	
	Class B Division 1 - Flammable Gas	
	Class D Division 2 Subdivision A - Very toxic material causing other toxic effects	

Naphtha, petroleum, light alkylate (64741-66-8)

Listed on the Canadian DSL (Domestic Substances List)

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision Date : 22/05/2015

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA

Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:

Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Asp. Tox. 1	Aspiration hazard Category 1
Compressed gas	Gases under pressure Compressed gas
Flam. Aerosol 1	Flammable aerosol Category 1
Flam. Gas 1	Flammable gases Category 1
Flam. Liq. 2	Flammable liquids Category 2
Simple Asphy	Simple Asphyxiant
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H220	Extremely flammable gas
H222	Extremely flammable aerosol

70206 Rev B 05/15 EN (English US) 7/8

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

H225	Highly flammable liquid and vapor
H280	Contains gas under pressure; may explode if heated
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H336	May cause drowsiness or dizziness
H401	Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Party Responsible for the Preparation of This Document

Lares Research 295 Lockheed Avenue Chico, CA 95973 530-345-1767 www.laresdental.com

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

North America GHS US 2012 & WHMIS 2

70206 Rev B 05/15 EN (English US) 8/8